



SAFETY HEALTH AND
ENVIRONMENTAL AFFAIRS

MAY 21 1992

ORIGINAL

MATERIAL SAFETY DATA SHEET

PRODUCT

TRANSPORT PLUS 2804 LIQUID

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 1 PRODUCT IDENTIFICATION

TRADE NAME: TRANSPORT PLUS 2804 LIQUID

DESCRIPTION: An aqueous solution of acrylamide/sodium acrylate resins, erythorbic acid, and diethylaminoethanol

NFPA 704M/HMIS RATING: 1/1 HEALTH 0/0 FLAMMABILITY 0/0 REACTIVITY 0 OTHER
0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

SECTION 2 HAZARDOUS INGREDIENTS

Our hazard evaluation has identified the following chemical ingredient(s) as hazardous under OSHA's Hazard Communication Rule, 29 CFR 1910.1200. Consult Section 14 for the nature of the hazard(s).

INGREDIENT(S)	CAS #	APPROX. %
Diethylaminoethanol	100-37-8	5-10

SECTION 3 PRECAUTIONARY LABEL INFORMATION

CAUTION: May cause irritation to skin and eyes. Avoid contact with skin, eyes, and clothing. Avoid prolonged or repeated breathing of vapor. Use with adequate ventilation. Do not take internally.

Empty containers may contain residual product. Do not reuse container unless properly reconditioned.

SECTION 4 FIRST AID INFORMATION

EYES: Flush with water for 15 minutes. Call a physician.
SKIN: Flush with water for 15 minutes.
INGESTION: Do not induce vomiting. Give water. Call a physician.
INHALATION: Remove to fresh air. Treat symptoms. Call a physician.

NOTE TO PHYSICIAN: Based on the individual reactions of the patient, the physician's judgment should be used to control symptoms and clinical condition.

CAUTION: If unconscious, having trouble breathing or in convulsions, do not induce vomiting or give water.

SECTION 5 HEALTH EFFECTS INFORMATION

PRIMARY ROUTE(S) OF EXPOSURE: Eye, Skin

EYE CONTACT: Can cause mild, short-lasting irritation.



MATERIAL SAFETY DATA SHEET

PRODUCT

TRANSPORT PLUS 2804 LIQUID

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 5 HEALTH EFFECTS INFORMATION

(CONTINUED)

SKIN CONTACT: Can cause mild, short-lasting irritation.

SYMPTOMS OF EXPOSURE: A review of available data does not identify any symptoms from exposure.

AGGRAVATION OF EXISTING CONDITIONS: A review of available data does not identify any worsening of existing conditions.

SECTION 6 TOXICOLOGY INFORMATION

TOXICITY STUDIES: No toxicity studies have been conducted on this product.

SECTION 7 PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Clear amber	FORM: Liquid	
DENSITY:	9.3-9.5 lbs/gal.	
SOLUBILITY IN WATER:	Completely	
SPECIFIC GRAVITY:	1.12-1.14 @ 60 Degrees F	ASTM D-1298
pH (NEAT) =	6.0-7.0	ASTM E-70
VISCOSITY:	58 cps @ 68 Degrees F	ASTM D-2983
FREEZE POINT:	19 Degrees F	ASTM D-1177
BOILING POINT:	212 Degrees F @ 760 mm Hg	ASTM D-86
FLASH POINT:	None (PMCC)	ASTM D-93

NOTE: These physical properties are typical values for this product.

SECTION 8 FIRE AND EXPLOSION INFORMATION

FLASH POINT: None (PMCC) ASTM D-93

EXTINGUISHING MEDIA: This product would not be expected to burn unless all the water is boiled away. The remaining organics may be ignitable. Use water to cool containers exposed to fire.

UNUSUAL FIRE AND EXPLOSION HAZARD: May evolve NOx under fire conditions.

SECTION 9 REACTIVITY INFORMATION

INCOMPATIBILITY: N-nitrosamines, many are cancer causing agents to laboratory animals, may be formed when certain amines are mixed with nitrous acid, organic or inorganic nitrites or atmospheres with high nitrous oxide concentrations.

Avoid contact with strong oxidizers (eg. chlorine, peroxides, chromates, nitric acid, perchlorates, concentrated oxygen, permanganates) which can generate



MATERIAL SAFETY DATA SHEET

PRODUCT

TRANSPORT PLUS 2804 LIQUID

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 9 REACTIVITY INFORMATION

(CONTINUED)

heat, fires, explosions and the release of toxic fumes.

THERMAL DECOMPOSITION PRODUCTS: In the event of combustion CO, CO₂, NO_x may be formed. Do not breathe smoke or fumes. Wear suitable protective equipment.

SECTION 10 PERSONAL PROTECTION EQUIPMENT

RESPIRATORY PROTECTION: Respiratory protection is not normally needed since the volatility and toxicity are low. If significant mists are generated, use either a chemical cartridge respirator with a dust/mist prefilter or supplied air.

For large spills, entry into large tanks, vessels or enclosed small spaces with inadequate ventilation, a pressure-demand, self-contained breathing apparatus is recommended.

VENTILATION: General ventilation is recommended.

PROTECTIVE EQUIPMENT: Use impermeable gloves and chemical splash goggles when attaching feeding equipment, doing maintenance or handling product. Examples of impermeable gloves available on the market are neoprene, nitrile, PVC, natural rubber, viton, and butyl (compatibility studies have not been performed).

The availability of an eye wash fountain and safety shower is recommended.

If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.

SECTION 11 SPILL AND DISPOSAL INFORMATION

IN CASE OF TRANSPORTATION ACCIDENTS, CALL THE FOLLOWING 24-HOUR TELEPHONE NUMBER (708-920-1510)

SPILL CONTROL AND RECOVERY:

Small liquid spills: Contain with absorbent material, such as clay, soil or any commercially available absorbent. Shovel reclaimed liquid and absorbent into recovery or salvage drums for disposal. Refer to CERCLA in Section 14.

Large liquid spills: Dike to prevent further movement and reclaim into recovery or salvage drums or tank truck for disposal. Refer to CERCLA in Section 14.

DISPOSAL: If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act



MATERIAL SAFETY DATA SHEET

PRODUCT

TRANSPORT PLUS 2804 LIQUID

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 11 SPILL AND DISPOSAL INFORMATION

(CONTINUED)

(RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

As a non-hazardous liquid waste, it should be solidified with stabilizing agents (such as sand, fly ash, or cement) so that no free liquid remains before disposal to an industrial waste landfill. A non-hazardous liquid waste can also be deep-well injected in accordance with local, state, and federal regulations.

SECTION 12 ENVIRONMENTAL INFORMATION

BIOLOGICAL OXYGEN DEMAND (5-day BOD): 11,000 ppm

CHEMICAL OXYGEN DEMAND: 360,000 ppm

If released into the environment, see CERCLA in Section 14.

SECTION 13 TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME/HAZARD CODE - PRODUCT IS NOT REGULATED
DURING TRANSPORTATION

SECTION 14 REGULATORY INFORMATION

The following regulations apply to this product.

FEDERAL REGULATIONS:

OSHA'S HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

Based on our hazard evaluation, the following ingredient in this product is hazardous and the reason is shown below.

Diethylaminoethanol = TWA 10 ppm, 48 mg/m³ (skin) ACGIH/TLV

Diethylaminoethanol = TWA 10 ppm, 50 mg/m³ (skin) OSHA/PEL

CERCLA/SUPERFUND, 40 CFR 117, 302:

Notification of spills of this product is not required.

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986

(TITLE III) - SECTIONS 302, 311, 312 AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

This product does not contain ingredients listed in Appendix A and B as an



MATERIAL SAFETY DATA SHEET

PRODUCT

TRANSPORT PLUS 2804 LIQUID

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 14 REGULATORY INFORMATION

(CONTINUED)

Extremely Hazardous Substance.

SECTIONS 311 and 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370):
Our hazard evaluation has found this product to be hazardous. The product should be reported under the following EPA hazard categories:

- XX Immediate (acute) health hazard
- Delayed (chronic) health hazard
- Fire hazard
- Sudden release of pressure hazard
- Reactive hazard

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):
This product does not contain ingredients on the List of Toxic Chemicals.

TOXIC SUBSTANCES CONTROL ACT (TSCA):
The chemical ingredients in this product are on the 8(b) Inventory List (40 CFR 710).

FOOD AND DRUG ADMINISTRATION (FDA) Federal Food, Drug and Cosmetic Act:
When use situations necessitate compliance with FDA regulations, this product is acceptable under 21 CFR 173.310 Boiler Water Additives.
The following use limitations apply: not to exceed 150 ppm as product in the steam. This product may not be used where the steam produced will contact milk or milk products.

U. S. DEPARTMENT OF AGRICULTURE (USDA):
USDA Inspection and Grading Programs - Food Safety and Inspection Service:
This product is authorized by USDA for use in federally inspected meat and poultry plants. Authorized use is under category G-6.

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA), 40 CFR 261 SUBPART C & D:
Consult Section 11 for RCRA classification.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15
(formerly Sec. 307), 40 CFR 116 (formerly Sec. 311):
None of the ingredients are specifically listed.

CLEAN AIR ACT, 40 CFR 60, SECTION 111, 40 CFR 61, SECTION 112:
This product does not contain ingredients covered by the Clean Air Act.

STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:



MATERIAL SAFETY DATA SHEET

PRODUCT

TRANSPORT PLUS 2804 LIQUID

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 14 REGULATORY INFORMATION

(CONTINUED)

This product does not contain any chemicals which require warning under California Proposition 65.

MICHIGAN CRITICAL MATERIALS:

This product does not contain ingredients listed on the Michigan Critical Materials Register.

STATE RIGHT TO KNOW LAWS:

Regulated in those states using the TLV for diethylaminoethanol as a criteria for listing.

INTERNATIONAL REGULATIONS:

This is a WHMIS controlled product under The House of Commons of Canada Bill C-70 (Class D2B). The product contains the following substance(s), from the Ingredient Disclosure List or has been evaluated based on its toxicological properties, to contain the following hazardous ingredient(s):

Chemical Name	CAS #	% Concentration Range
Diethylaminoethanol	100-37-8	5-10

SECTION 15 ADDITIONAL INFORMATION

None

SECTION 16 USER'S RESPONSIBILITY

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to ensure safe workplace operations. Please consult your local sales representative for any further information.

SECTION 17 BIBLIOGRAPHY

ANNUAL REPORT ON CARCINOGENS, U.S. Department of Health and Human Services, Public Health Service, PB 33-135855, 1983.

CASARETT AND DOULL'S TOXICOLOGY, THE BASIC SCIENCE OF POISONS, Doull, J., Klaassen, C. D., and Admur, M. O., eds., Macmillian Publishing Company, Inc.,



MATERIAL SAFETY DATA SHEET

PRODUCT

TRANSPORT PLUS 2804 LIQUID

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 17 BIBLIOGRAPHY

(CONTINUED)

N. Y., 2nd edition, 1980.

CHEMICAL HAZARDS OF THE WORKPLACE, Proctor, N. H., and Hughes, J. P., eds., J. P. Lipincott Company, N.Y., 1981.

DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, Sax, N. Irving, ed., Van Nostrand Reinhold Company, N.Y., 6th edition, 1984.

IARC MONOGRAPHS ON THE EVALUATION OF THE CARCINOGENIC RISK OF CHEMICALS TO MAN, Geneva: World Health Organization, International Agency for Research on Cancer, 1972-1977.

PATTY'S INDUSTRIAL HYGIENE AND TOXICOLOGY, Clayton, G. D., Clayton, F. E., eds., John Wiley and Sons, N. Y., 3rd edition, Vol. 2 A-C, 1981.

REGISTRY OF TOXIC EFFECTS ON CHEMICAL SUBSTANCES, U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1983 supplement of 1981-1982 edition, Vol. 1-3, OH, 1984.

Title 29 Code of Federal Regulations Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA).

THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS IN THE WORKROOM ENVIRONMENT WITH INTENDED CHANGES, American Conference of Governmental Industrial Hygienists, OH.

PREPARED BY: Ricky A. Stackhouse PhD., Toxicologist

DATE CHANGED: 03/27/92

DATE PRINTED: 05/15/92



MATERIAL SAFETY DATA SHEET

PRODUCT

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)